



SAFETY DATA SHEET 10KG SUPER PROFESSIONAL DEGREASING POWDER C16

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 10KG SUPER PROFESSIONAL DEGREASING POWDER C16

Product number 800-299-1142

Container size 10kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Mirius™

A Coventry Group Company

Woodhams Road Siskin Drive Coventry CV3 4FX

Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com

Contact person For content of safety data sheet:, sds@mirius.com

1.4. Emergency telephone number

Emergency telephone +4769396600 (EUROPRIS AS)

National emergency telephone In case of a medical emergency following exposure to a chemical call NHS Direct in England

number or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P501 - Dispose of contents/container to a hazardous or special waste collection point.

Contains SODIUM DODECYLBENZENESULFONATE, SODIUM SILICATE CRYSTAL, C12-15 FATTY

ALCOHOL 7MOL EO

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling. P310 Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM CARBONATE 30-60%

CAS number: 497-19-8 EC number: 207-838-8 REACH registration number: 01-

2119485498-19-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 Xi;R36

SODIUM DODECYLBENZENESULFONATE 5-10%

CAS number: 68411-30-3 EC number: 270-115-0 REACH registration number: 01-

2119489428-22-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22. Xi;R38,R41.

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

SODIUM SILICATE CRYSTAL 1-5%

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R41,R38.

Eye Dam. 1 - H318

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

C12-15 FATTY ALCOHOL 7MOL EO

1-5%

CAS number: 68131-39-5 M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xn;R22. Xi;R41. N;R50.

Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information No specific recommendations.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory system irritation.

Ingestion May cause irritation. Nausea, vomiting. Diarrhoea.

Skin contact Prolonged skin contact may cause redness and irritation.

Eye contact May cause severe inflammation, corneal ulcers and permanent impairment of vision.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is non-combustible.

Hazardous combustion

products

No known hazardous decomposition products.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and

surfaces.

6.2. Environmental precautions

Environmental precautionsCollect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in

suitable waste disposal containers and seal securely. Label the containers containing waste

and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or

watercourses

watercourse

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this

safety data sheet. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work

site. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Keep container dry. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

SODIUM CARBONATE (CAS: 497-19-8)

DNEL Workers - Inhalation; Long term local effects: 10 mg/m³

General population - Inhalation; Long term local effects: 10 mg/m³

SODIUM DODECYLBENZENESULFONATE (CAS: 68411-30-3)

DNEL Industry - Inhalation; Long term systemic effects: 6 mg/m³

Industry - Inhalation; Long term local effects: 6 mg/m³

Industry - Dermal; Long term systemic effects: 85 mg/kg/day Consumer - Inhalation; Long term systemic effects: 1.5 mg/m³ Consumer - Inhalation; Long term local effects: 1.5 mg/m³ Consumer - Dermal; Long term systemic effects: 42.5 mg/kg/day

Consumer - Oral; Long term systemic effects: 0.425 mg/kg/day

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

PNEC - Fresh water; 0.268 mg/l

Marine water; 0.0268 mg/lIntermittent release; 0.0167 mg/l

- STP; 3.43 mg/l

Sediment, Fresh water; 8.1 mg/kgSediment, Marine water; 6.8 mg/kg

- Soil; 35 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. Gloves made from the following material may provide suitable chemical protection: Butyl rubber. Rubber (natural, latex). Thickness: >0.5 mm Nitrile rubber. Thickness: >0.35 mm The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin

cream to prevent drying of skin.

Hygiene measures When using do not eat, drink or smoke. Good personal hygiene procedures should be

implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure

controls

Avoid releasing into the environment.

SECTION 9: Physical and Chemical Properties

$\underline{\textbf{9.1.}}$ Information on basic physical and chemical properties

Appearance Crystalline powder.

Colour White with blue speckles

Odour Perfume.

Odour threshold Not applicable. Not applicable.

pH pH (diluted solution): 10.4 - 10.8 (1g/100ml)

Flammability (solid, gas) The product is not flammable.

Relative density 680-780 g/l

Solubility(ies) Soluble in water.

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

Explosive propertiesThere are no chemical groups present in the product that are associated with explosive

properties.

Oxidising properties There are no chemical groups present in the product that are associated with oxidising

properties.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Do not mix with other household chemical products.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 18,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Not classified.

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

Skin sensitisation

Skin sensitisation Not classified.

Germ cell mutagenicity

Genotoxicity - in vitroDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information This product has low toxicity. Only large quantities are likely to have adverse effects on

human health.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Prolonged and frequent contact

may cause redness and irritation.

Eye contact A single exposure may cause the following adverse effects: Corneal damage. Severe

irritation, burning, tearing and blurred vision.

Toxicological information on ingredients.

SODIUM DODECYLBENZENESULFONATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀

mg/kg)

1,080.0

Species Rat

ATE oral (mg/kg) 1,080.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,001.0

mg/kg)

Species Rat

ATE dermal (mg/kg) 2,001.0

SECTION 12: Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the

environment.

12.1. Toxicity

Ecological information on ingredients.

SODIUM DODECYLBENZENESULFONATE

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 1.67 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 2.9 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this

product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct

request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Packaging is recyclable.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

COSHH Essentials.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheets for Substances and Preparations.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms DNEL: Derived No Effect Level.

used in the safety data sheet PNEC: Predicted No Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 10/07/2018

Revision 1

SDS number 21854

Hazard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

10KG SUPER PROFESSIONAL DEGREASING POWDER C16

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.